

nature.com 指南

本指南介绍 nature.com 上一些获奖工具和服务。如果您搜索信息、浏览相关文章或通过 e-mail 或 RSS feed 设置个人提示，知道怎样在 nature.com 网站上寻找自己想要的东西将使您的生活变得更加容易。

简单步骤


为了从 nature.com 上获得最好的结果，您要从注册自己的账户开始。这三个简单步骤将使您能够通过一个地点登录 nature.com 上的全部功能，并且是您在个人订阅情况下所必不可少的。



完成您的个人信息

通过主题区或出版物选择您喜爱的电子提示 (e-alerts)

检查您所输入的详细数据，选择确认



轻松自如的导航功能 (页码)

实际上，nature.com 网站上的杂志都采用相同的网页设计，所以当您在多个杂志之间切换时，您会很快感觉到轻松自在。杂志主页提供一个关于某杂志网上发表的最新内容的窗口，同时让您能够穿行于该杂志的存档内容及网上服务。您可利用左边和右边导航栏里的链接来轻松进入相关内容。

最先阅读最新研究——研究论文首先在网发表，然后才在印刷版中发表。

选择 Current issue (现期刊物) 查看其目录。

链接到 Nature News 上的最新消息。

按年和期浏览该杂志的存档内容 (Archive)。

Supplements 和 Web focuses 精选重点话题，是在定期内容之外所发表的内容。

很多杂志还通过视频和播客等其它媒介发表相关内容。



注册获得来自该杂志的电子提示 (e-alerts)。如果您有一个注册账户，它将被自动更新。

如果您将该杂志用于工作或学习，请联系您的图书管理员或信息管理员，并建议他们代表您订阅。

很多杂志都以一条 RSS 新闻的形式提供最新目录

找出哪些新闻在其它媒体上也是新闻。

从一篇文章得到最大收获

找到您需要的文章对您来说只是开始，但您可以做的远不止仅仅阅读它。将您的研究论文与朋友和同事分享，将您的评论发成网上帖子，将相关图表输出到幻灯片上，将您的参考数据保存起来，查阅补充信息（经常在印刷版中没有），甚至可以订购您所需要的设备。



References

- Galindo, A. & Martin-Delgado, M. A. Information and computation: Classical and quantum aspects. *Rev. Mod. Phys.* **74**, 347–423 (2002) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Braunstein, S. L. & van Loock, P. Quantum information with continuous variables. *Rev. Mod. Phys.* **77**, 513–577 (2005) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Kimble, H. J. The quantum internet. *Nature* **453**, 1023–1030 (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Vasiliev, D. V., Sokolov, I. V. & Polzik, E. S. Quantum memory for images: A quantum hologram. *Phys. Rev. A* **77**, 020302(R) (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Hau, L. V., Harris, S. E., Dutton, Z. & Behroozi, C. H. Light speed reduction to 17 metres per second in an ultracold atomic gas. *Nature* **397**, 594–598 (1999) | [Article](#) | [ISI](#) | [ChemPort](#)
- Camacho, R. M., Pack, M. V., Howell, J. C., Schweinsberg, A. & Boyd, R. W. Wide-bandwidth, tunable, multiple-pulse-width optical delays using slow light in cesium vapor. *Phys. Rev. Lett.* **98**, 153601 (2007) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Boyer, V., McCormick, C. F., Arimondo, E. & Lett, P. D. Ultralow propagation of matched pulses by four-wave mixing in an atomic vapor. *Phys. Rev. Lett.* **99**, 143601 (2007) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Broadbent, C. J., Camacho, R. M., Xin, R. & Howell, J. C. Preservation of energy-time entanglement in a slow light medium. *Phys. Rev. Lett.* **100**, 133602 (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Chaneliere, T. et al. Storage and retrieval of single photons transmitted between remote quantum memories. *Nature* **438**, 833–836 (2005) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Esaman, M. D. et al. Electromagnetically induced transparency with tunable single-photon pulses. *Nature* **438**, 837–841 (2005) | [Article](#) | [PubMed](#) | [ISI](#) | [ChemPort](#)
- Choi, K. S., Deng, H., Laurat, J. & Kimble, H. J. Mapping photonic entanglement into and out of a quantum memory. *Nature* **452**, 67–71 (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Akamatsu, D. et al. Ultralow propagation of squeezed vacuum pulses with electromagnetically induced transparency. *Phys. Rev. Lett.* **99**, 153602 (2007) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Honda, K. et al. Storage and retrieval of a squeezed vacuum. *Phys. Rev. Lett.* **100**, 093601 (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Appel, J., Figueroa, E., Korytov, D., Lobino, M. & Lvovsky, A. I. Quantum memory for squeezed light. *Phys. Rev. Lett.* **100**, 093602 (2008) | [Article](#) | [PubMed](#) | [ChemPort](#)
- Hétet, G. et al. Delay of squeezing and entanglement using electromagnetically induced transparency in a vapour cell. *Opt. Express* **16**, 7369–7381 (2008) | [Article](#) | [PubMed](#)
- Duan, L. M., Giedke, G., Cirac, J. I. & Zoller, P. Inseparability criterion for continuous variable systems. *Phys. Rev. Lett.* **84**, 2722–2725 (2000) | [Article](#) | [PubMed](#) | [ISI](#) | [ChemPort](#)

文章类型

DOI 和有用的日期

文章标题

作者姓名和工作单位，包括一名联系人。

以一个摘要部分开始的文

图形、方法和参考数据嵌入在文章中，无法放大到全尺寸。

参考数据在整篇文章中都有链接，并且列在文章最后。

一些文章在最后提供发表评论和参加讨论的选择。

nature.com > Publications A-Z index > Browse by subject

Bookmark the Darwin 200 special for the growing collection of updated news, research and analysis

nature International weekly journal of science

Search [this journal] [Advanced search]

Journal home > Archive > Letter > Full Text

Journal name: **Letter**

Advance online publication: Nature **455**, 242–245 (11 September 2008) | doi:10.1038/nature07207; Received 23 March 2008; Accepted 26 June 2008; Published online 6 August 2008

Current issue

Nature News

Archive

Supplements

Web focuses

Multimedia

About the journal

For authors and referees

Online submission

Advertising

Reprints and permissions

Nature Awards

Nature Conferences

Help

Gateways and databases

Structural Genomics Knowledgebase

Asia gateway

Cell Migration Gateway

Functional Glycomics Gateway

Nature Reports Avian Flu

Nature Reports Stem Cells

Nature Network

Neuroscience Gateway

Omics gateway

Chemistry

Chemistry

Chemistry

Drug discovery

Biotechnology

Materials

Methods & Protocols

Clinical Practice & Research

Cancer

Cardiovascular medicine

Dentistry

Endocrinology

Gastroenterology & Hepatology

Methods & Protocols

Pathology & Pathobiology

Urology

Earth & Environment

Earth sciences

Evolution & Ecology

Life sciences

Biotechnology

Software

Development

Drug discovery

Evolution & Ecology

Genetics

Immunology

Medical research

Methods & Protocols

Microbiology

Molecular cell biology

Neuroscience

Pharmacology

Systems biology

Physical sciences

Physics

Materials

by A - Z Index

subscribe to Nature

Subscribe

FULL TEXT

Previous | Next

Table of contents

Download PDF

Send to a friend

CrossRef lists 2 articles citing this article

Scopus lists 4 articles citing this article

Submit a correspondence

Export citation

Export references

Rights and permissions

Order commercial reprints

Bookmark in Connotea

Abstract

Methods Summary

References

Acknowledgements

Figures and tables

Supplementary info

Online methods

SEE ALSO

Editor's Summary

SEARCH PUBMED FOR

Manoj N. Krishnan

Aylwin Ng

Bindu Sukumaran

Felicia D. Gilfoy

Pradeep D. Uchi

Hameeda Sultana

Abraham L. Brass

Rachel Adametz

Melody Tsui

Feng Qian

Ruth R. Montgomery

Sima Lev

Peter W. Mason

Raymond A. Koski

Stephen J. Elledge

Ramnik J. Xavier

Herve Gaisse

Erol Fikrig

more authors of this article

naturejobs

Gastroenterologist

Deaconess Clinic

Indiana, USA

Scientific Affairs Manager

Europe, Middle East and Africa

Micromento

Based in Brussels, with a high degree of travel

More science jobs

Post a job for free

natureproducts

search buyers guide

FACT OR FICTION?

Lack of seatbelt use can be added

West Nile virus (WNV), and related flaviviruses such as tick-borne encephalitis, Japanese encephalitis, yellow fever and dengue viruses, constitute a significant global human health problem¹. However, our understanding of the molecular interaction of such flaviviruses with mammalian host cells is limited². WNV encodes only 10 proteins, implying that it may use many cellular proteins for infection³. WNV enters the cytoplasm through pH-dependent endocytosis, undergoes cycles of translation and replication, assembles progeny virions in association with endoplasmic reticulum, and exits along the secretory pathway^{1,2,3}. RNA interference (RNAi) presents a powerful forward genetics approach to dissect virus–host cell interactions^{4,5,6}. Here we report the identification of 305 host proteins that affect WNV infection, using a human-genome-wide RNAi screen. Functional clustering of the genes revealed a complex dependence of this virus on host cell physiology, requiring a wide variety of molecules and cellular pathways for successful infection. We further demonstrate a requirement for the ubiquitin ligase CBLL1 in WNV internalization, a post-entry role for the endoplasmic-reticulum-associated degradation pathway in viral infection, and the monocarboxylic acid transporter MCT4 as a viral replication resistance factor. By extending this study to dengue virus, we show that flaviviruses have both overlapping and unique interaction strategies with host cells. This study provides a comprehensive molecular portrait of WNV–human cell interactions that forms a model for understanding single plus-stranded RNA virus infection, and reveals potential antiviral targets.

The host proteins previously reported to facilitate WNV infection (termed host susceptibility factors, HSFs) comprise endosomal transport regulators and vATPase (for entry), eEF1A, TIA-1/TIAR and HMGR (for replication), and c-Yes (for secretion)^{7–11}. Other host proteins may reduce WNV infection (termed host resistance factors, HRFs): components of the antiviral IRF3 pathway are known HRFs of WNV infection¹¹. In this context, we performed a genome-scale small interfering RNA (siRNA)-based screen silencing 21,121 human genes in HeLa cells to comprehensively identify the cellular proteins associated with the early stages of WNV infection, from viral entry through to the intracellular translation of viral RNA. Defects in the later stages of infection, such as replication, assembly or secretion, were not scored by the assay. The assay involved infection of gene-silenced cells with WNV for 24 h, followed by a microscopy-based quantification of the cells immunostained for viral envelope protein to select the candidate host proteins. The screen was done in two steps: a primary screen using a pool of four siRNAs per gene, followed by a validation screen, testing each individual siRNA within the pool separately (for the hits selected in the primary screen) to minimize potential off-target hits (Fig. 1a). The details of the assay and screen are described in Methods and Supplementary Fig. 1.

The RNAi screen identified 283 HSFs and 22 HRFs (of which 273 and 21 respectively are novel; Supplementary Tables 1 and 2). The number of HRFs constituted 7% of the total host factors identified. The identification of (1) some of the known HSFs (vATPase, endosomal transport regulators⁷) and HRFs (IRF3; ref. 11) of WNV infection, and (2) multiple components of macromolecular assemblies—for example, vATPase, the endoplasmic-reticulum-associated

以 PDF 格式阅读或打印文章。

将文章转发给一个同事或朋友。

提交您自己的观点，供考虑在“给编辑的信”（letters to the Editor）栏目中发表。

将引用细节输出为 Word 或 Notepad 格式。

在您的 Connotea 账户内标记文章，以便与他人分享您的研究工作。

通过这些链接穿行整篇文章。

将“补充信息”（Supplementary info）扩展成 PDF 格式。

链接到 PubMed，阅读这些作者的其它文章。

链接到 NatureJobs，了解相关领域的当前职位空缺。

链接到 NatureProducts，以比较和订购该研究中所用的产品和设备。

Nature.com 上的广告是按文章内容明确标记和提供的。

doi:10.1038/nature07207

SUPPLEMENTARY INFORMATION

Legends for Supplementary Tables 1 and 2.

Supplementary Table 1. RNAi screen identifies 283 human genes required for West Nile virus (WNV) infection. All of the identified 283 genes that qualified the selection criteria are arranged in alphabetical order. Column E shows how many individual siRNAs scored out of the four comprising the pool against each gene, when tested separately. Columns G, L, Q, V and AI shows the fold reduction in WNV infection when the indicated genes were silenced with either individual siRNAs (G, L, Q, V) or pooled siRNAs (AI); and columns H, M, R, W and AJ are the corresponding Z-scores (standard deviation (SD) from the mean infection of control samples). The relative cell numbers (RCN, number of cells in gene silenced wells/number of cells in control) for G, L, Q, V and AI are shown in I, N, S, X and AK; and the corresponding SD are shown in J, O, T, Y and AL. Column AN shows fold reduction of dengue virus (DENV) infection (column AO shows the corresponding SD) when genes were silenced with pooled siRNAs. The RCN corresponding to AN is shown in AP (AQ shows the corresponding SD). 'NT' indicates not tested in the individual siRNA screen against WNV. 'NTD' indicates not tested against dengue virus.

Supplementary Table 2. RNAi screen identifies 22 human genes whose silencing enhances West Nile virus (WNV) infection. All of the identified 22 genes that qualified the selection criteria are arranged in alphabetical order. Column E shows how many individual siRNAs scored out of the four comprising the pool against each gene, when

doi:10.1038/nature07207

SUPPLEMENTARY INFORMATION

Legends for Supplementary Tables 1 and 2.

Supplementary Table 1. RNAi screen identifies 283 human genes required for West Nile virus (WNV) infection. All of the identified 283 genes that qualified the selection criteria are arranged in alphabetical order. Column E shows how many individual siRNAs scored out of the four comprising the pool against each gene, when tested separately. Columns G, L, Q, V and AI shows the fold reduction in WNV infection when the indicated genes were silenced with either individual siRNAs (G, L, Q, V) or pooled siRNAs (AI); and columns H, M, R, W and AJ are the corresponding Z-scores (standard deviation (SD) from the mean infection of control samples). The relative cell numbers (RCN, number of cells in gene silenced wells/number of cells in control) for G, L, Q, V and AI are shown in I, N, S, X and AK; and the corresponding SD are shown in J, O, T, Y and AL. Column AN shows fold reduction of dengue virus (DENV) infection (column AO shows the corresponding SD) when genes were silenced with pooled siRNAs. The RCN corresponding to AN is shown in AP (AQ shows the corresponding SD). 'NT' indicates not tested in the individual siRNA screen against WNV. 'NTD' indicates not tested against dengue virus.

Supplementary Table 2. RNAi screen identifies 22 human genes whose silencing enhances West Nile virus (WNV) infection. All of the identified 22 genes that qualified the selection criteria are arranged in alphabetical order. Column E shows how many individual siRNAs scored out of the four comprising the pool against each gene, when


寻找答案？

在 *nature.com* 上寻找正确信息既容易又直观。搜索框出现在所有杂志页面的右上角，同时还有“高级搜索”（Advanced search）选项提供更精细的结果。*Nature.com* 的“保存搜索”（Save Search）功能让您能够保存和重新运行搜索项目，新的搜索结果会自动捕捉到并提交给您。

通过关键词搜索，并对自己的搜索内容进行细化，以找到所选择的出版物。

进一步通过作者、通过文章标题、通过日期等来细化自己的搜索内容。

通过 DOI（数字对象标识符）来搜索



选择“保存的搜索”（Saved Searches）选项卡来查看自己所保存的搜索结果列表。这个功能在下面的屏幕截图上解释。

CrossRef Search 使您能够免费全文交叉搜索来自不同出版商的学术研究内容。

选择您想怎样显示自己的搜索结果：

- 按相关性显示
- 按日期显示
- 按出版物显示
- 按文章类型显示
- 每页最多显示 100 个结果

这个示范搜索是要在所有 NPG 杂志中搜索“West Nile”，没有特定日期范围。



选择这些链接来进一步细化您的搜索内容或重新开始搜索。

利用下拉式列表来改变您观看自己搜索结构的方式。

选择隐藏文章的“摘要”（summary）和“背景”（context）。

点击这些链接来阅读摘要，或转向该文章的全文本或 PDF 版本。

如果您有可能再次利用这些项目进行搜索，可选择“保存搜索”（Save Search），这样将会为您自动捕捉到最新文章。您可随时修订自己的搜索项目和查看新的搜索结果，或将搜索结果用电子邮件发送到您注册的 email 地址。

根据特定杂志或特定领域来细化您的搜索内容。

除文章之外

播客（podcasts）：下载免费音频内容，摘要介绍本周末来自 *Nature* 和其它杂志的最好的科学内容。

视频（video）：欣赏流视频，内容有科学家分享他们的科学发现时所进行的讨论与分析。

其它（Plus）：互动图形、测试、影像库、图片、漫画等等。

关于 *nature.com* 上最新功能的消息，请经常访问我们的贝塔测试网站：www.nature.com/launchpad

博客（blogs）：就当天的新闻或更广泛的话题讨论发表自己的看法。

谷歌地球档（google earth files）：找出以新颖方式使用“谷歌地球”（Google Earth）等程序何以能够帮助科学家发现和共享信息。

